


LIGHTPLANE RECESSED 6

LPLR6 & LPLR6T

Recessed




LIGHTPLANE RECESSED - LPLR6 & LPLR6T


Recessed

LIGHT FORMS

Dimensions



Distribution



LIGHTPLANE RECESSED - LPLR6 & LPLR6T


**LIGHT
FORMS**

Recessed

1. Base Model

LPLR6	Recessed - Trimless
LPLR6T	Recessed - with Trim

LPLR6 & LPLR6T
Recessed



2. Run Length

Enter total linear length, (example: 6M)

3. Lamping

STD - xxxxK
HI - xxxxK

Dual Row Linear LED

Standard Output, LED 2X20W/M 5400 delivered lm/M, 95 lm/W @ 4000K
High Output, LED 2X30W/M 6650 delivered lm/M, 90 lm/W @ 4000K

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K

CV

Additional Single Row LED Options

Constant Voltage (for custom lengths) - 12Vdc/24Vdc

Contact factory for detail

TW

Tunable White (2700K - 6500K)

Contact factory for detail

RGBW

Standard Output - RGB+WHITE - 24Vdc/12Vdc

Contact factory for detail

4. Spots (optional)

XX-7W

specify total quantity - 7W - 25/40 degree beam 135lm/W


XX-13W

specify total quantity - 13W - 25/40 degree beam 135lm/W

CCT: 3000K 3500K 4000K

NOSPOTS

no spots



5. Driver

0/1-10V

0/1-10V dimming

DALI

DALI dimming

DMX

DMX dimming

NONDIM

Non-dimmable

OTHER

(Consult factory for options)

6. Finish

AL

Standard, natural aluminum

BK

Black powdercoat

WH

White powdercoat

Custom

Custom Color

7. Additional options

EM

1.5 hour Emergency Kit

MS

Motion sensor

Others

Contact factory

LIGHTPLANE RECESSED - LPLR6 & LPLR6T

Recessed

**LIGHT
FORMS**

Housing

100% recyclable, extruded architectural grade T6063 aluminum

Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup.
Consult factory for options.

Options


Mitered Corners

Consult factory for mitered corner angle options.

Finish

Standard finish is "Ultimatte" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.

White, Black, or custom powdercoat options are also available.



Mitered Corners



WH - WHITE



AL - ALUMINUM



RAL/____

Default canopy finish is to match fitting color, unless otherwise specified



BK - BLACK



ISO 9001:2015

China

Unit 3, Building A
No. 9 Phoenix Road
Torch Development Area
Zhongshan City
Guangdong China 528437

T +86 760 899 370 38
F +86 760 899 370 39
E ckirin@lightforms.com.cn

UK

Unit 7C Boeing Way
International Trading Estate
Middlesex
UB2 5LB

T +44 (0)20 8571 3785
F +44 (0)20 8090 3755
E ask@lightforms.com

India

353/2 Dr Hira Singh Road
Civil Lines
Ludhiana 141001
Punjab, India

T +91 98 7280 0488
E ajay@lightforms.com

Light Forms

Architectural Lighting
www.lightforms.com

Registered in England
No. 6750892
Registered Address
Unit 7C Boeing Way
International Trading Centre
Middlesex, Ub2 5Lb