


# FIVE BOW H - FBH

Indirect / Direct

Suspended  
Wall




# FIVE BOW H - FBH

INDIRECT / DIRECT - Suspended, Wall


**LIGHT  
FORMS**

## Dimensions


FLAT / DROP



DROP / DROP



## Distribution




# FIVE BOW H - FBH

INDIRECT / DIRECT - Suspended, Wall

## 1. Base Model

FBH-S	Suspended (Indirect / Direct)
FBH-WM	Wall Mounted (Indirect / Direct)



## 2. Run Length

Enter total linear length, (example: 6M)

## 3. LED Lamping (Direct and indirect) - If indirect light is not required order "FB" fitting.

STD - **xxxxK** (example: STD-4000K) **Standard Output**, LED 2x20W/M 4500 delivered lumen, 97 lm/W

HI - **xxxxK** (example: HI-4000K) **High Output**, LED 2x30W/M 6400 delivered lumen, 92 lm/W

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K

CV - **xxxxK**

### Additional LED Options

**Constant Voltage** (for custom lengths) 24/12VDC

Contact factory for detail

TW

**Tunable White (2700K - 6500K)**

Contact factory for detail

RGBW

**RGB+WHITE** - 24/12VDC

Contact factory for detail

## 4. LED Driver

0/1-10V	0/1-10V dimming
DALI	DALI dimming
DMX	DMX dimming
NONDIM	Non-dimmable
OTHER	(Consult factory for options)

# FIVE BOW H - FBH

INDIRECT / DIRECT - Suspended, Wall

**LIGHT  
FORMS**

## 5. Lens



---

FLAT / DROP

FLAT lens on top / DROP lens on bottom

DROP / DROP

DROP lens on top / DROP lens on bottom



## 6. Finish

---

AL

Standard, natural aluminum

BK

Black powdercoat

WH

White powdercoat

Custom

Custom Color

## 7. Additional options

---

EM

1.5 hour Emergency Kit

MS

Motion sensor

OTHER

Contact Factory

# FIVE BOW H - FBH

INDIRECT / DIRECT - Suspended, Wall

# LIGHT FORMS

## Housing

100% recyclable, extruded architectural grade T6063 aluminum

## Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup. Consult factory for options.

## Finish

Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process.

White, Black, Custom powdercoat options also available.



WH - WHITE



AL - ALUMINUM



BK - BLACK




CUSTOM/\_\_\_\_

*Default canopy finish is to match fitting color, unless otherwise specified*



Suspension & Power



Mitered Corners



ISO 9001:2015

### China

Unit 3, Building A  
No. 9 Phoenix Road  
Torch Development Area  
Zhongshan City  
Guangdong China 528437

T +86 760 899 370 38  
F +86 760 899 370 39  
E ckirin@lightforms.com.cn

### UK

Unit 7C Boeing Way  
International Trading Estate  
Middlesex  
UB2 5LB

T +44 (0)20 8571 3785  
F +44 (0)20 8090 3755  
E ask@lightforms.com

### India

353/2 Dr Hira Singh Road  
Civil Lines  
Ludhiana 141001  
Punjab, India

T +91 98 7280 0488  
E ajay@lightforms.com

### Light Forms

Architectural Lighting  
www.lightforms.com

Registered in England  
No. 6750892  
Registered Address  
Unit 7C Boeing Way  
International Trading Centre  
Middlesex, UB2 5LB