


LPV4

Suspended



LINEAR PRISMATIC LENS




EXT LENS

LPV4


Suspended

**LIGHT
FORMS**

Dimensions



Distribution



LPV4

Suspended




1. Base Model

LPV4

Suspended

LP4V
Suspended



2. Run Length

Enter total linear length, (example: 6M)

3. Lamping (data shown for 4000K with Low Glare Lens)

STD - **xxxxK** (example: STD-4000K)

Standard Output, LED 20 W/M, 2620 delivered lm/M, 107 lm/W @EXT lens
LED 20 W/M, 2660 delivered lm/M, 109 lm/W @WD lens

HI - **xxxxK** (example: HI-4000K)

High Output, LED 30 W/M, 3535 delivered lm/M, 101 lm/W @EXT lens
LED 30 W/M, 3605 delivered lm/M, 103 lm/W @WD lens

CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K

CV - **xxxxK**

Additional LED Options

Constant Voltage (for custom lengths) - 12Vdc/24Vdc

Contact factory for detail

TW

Tunable White (2700K - 6500K)

Contact factory for detail

RGBW - **xxxxK**

Standard Output - RGB+WHITE - 12Vdc/24Vdc

Contact factory for detail

4. Driver

0/1-10V

0/1-10V dimming

DALI

DALI dimming

DMX

DMX dimming

NONDIM

Non-dimmable

OTHER

(Consult factory for options)

5. Lens

EXT

Standard opal white lens--Low Glare

WD

Clear lens-Low Glare

6. Finish

AL

Standard, natural aluminum

BK

Black powdercoat

WH

White powdercoat

Custom

Custom Color

7. Additional options (remote only)

EM

1.5 Hour Emergency Kit

MS

Motion Sensor

Others

Contact factory

LPV4

Suspended

LIGHT FORMS

Housing

100% recyclable, extruded architectural grade T6063 aluminum

Emergency

Luminaires can be wired for emergency circuit and/or emergency battery backup. Consult factory for options.

Finish


Standard finish is "Ultimate" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process. White, Black, Custom powdercoat options also available.



Suspension & Power



WH - WHITE



AL - ALUMINUM



BK - BLACK



CUSTOM/___

Default canopy finish is to match fitting color, unless otherwise specified



ISO 9001:2015

China

Unit 3, Building A
No. 9 Phoenix Road
Torch Development Area
Zhongshan City
Guangdong China 528437

T +86 760 899 370 38
F +86 760 899 370 39
E ckirin@lightforms.com.cn

UK

Unit 7C Boeing Way
International Trading Estate
Middlesex
UB2 5LB

T +44 (0)20 8571 3785
F +44 (0)20 8090 3755
E ask@lightforms.com

India

353/2 Dr Hira Singh Road
Civil Lines
Ludhiana 141001
Punjab, India

T +91 98 7280 0488
E ajay@lightforms.com

Light Forms

Architectural Lighting
www.lightforms.com

Registered in England
No. 6750892
Registered Address
Unit 7C Boeing Way
International Trading Centre
Middlesex, UB2 5LB