
# LIGHTPLANE RECESSED 2.50A LPLR2.50A

Recessed - with Trim




### LIGHTPLANE RECESSED 2.50A


Recessed with Trim



### **Dimensions**



### Distribution



## LIGHTPLANE RECESSED 2.50A

Recessed with Trim

# LIGHT FORMS

		1 DI B2 50A
LPLR2.5OA	Recessed - with Trim	LPLR2.5OA Recessed
2. Run Length		
	Enter total linear length, (example: 6M)	
	<u></u>	
3. LED Lamping		
o. LLD Lamping		
	SINGLE ROW LINEAR LED	
STD - xxxxK	Standard Output, LED 20W/M, 1750 delive	ered Im/M @ 4000K
HI - xxxxK	High Output, LED 30W/M 2430 delivered lm/M @ 4000K	
	007 00000 05000 100000 0 11 070000	-0001/ 57001/ 05001/
	CCT: 3000K 3500K 4000K Option: 2700K 5000K 5700K 6500K Dual Row LED strip Available	
	Duai Now LED Strip Available	
	Additional Single Row LED Options	
CV	Constant Voltage (for custom lengths) - 12Vdc/24Vdc	
	Contact factory for detail	
TW	Tunable White (2700K - 6500K)	
RGBW	Contact factory for detail Standard Output - RGB+WHITE - 24Vdc/12Vdc	
NGDVV	Contact factory for detail	
	Contact factory for detail	
4. LED Driver		
0/1-10V	0/1-10V dimming	
DALI	DALI dimming	
DMX	DMX dimming	
NONDIM	Non-dimmable	
OTHER	(Consult factory for options)	
5. Finish		
AL	Standard, natural aluminum	
BK	Black powdercoat	
WH	White powdercoat	
Custom	Custom Color	
6. Additional options		
EM	1.5 Hour Emergency Kit	
MS	Motion Sensor	
Others	Contact factory	

### LIGHTPLANE RECESSED 2.50A

Recessed with Trim

### LIGH7 **FORMS**

#### Housing

100% recyclable, extruded architectural grade T6063 aluminum

#### **Emergency**

Luminaires can be wired for emergency circuit and/or emergency battery backup. Consult factory for options.



Mitered Corners


Consult factory for mitered corner angle options.



Standard finish is "Ultimatte" aluminum - a smooth, clean and durable finish achieved from a deep-etch and two step clear anodizing process. White, Black, or custom powdercoat options are also available.







**AL** - ALUMINUM



RAL/



**Mitered Corners** 

Default canopy finish is to match fitting color, unless otherwise specified



**BK** - BLACK













ISO 9001:2015

**China** Unit 3, Building A No. 9 Phoenix Road Torch Development Area Zhongshan City Guangdong China 528437

T +86 760 899 370 38 F +86 760 899 370 39

E ckirin@lightforms.com.cn

UK

Unit 7C Boeing Way International Trading Estate Middlesex UB2 5LB

T +44 (0)20 8571 3785 F +44 (0)20 8090 3755 E ask@lightforms.com

India

353/2 Dr Hira Singh Road Civil Lines Ludhiana 141001 Punjab, India

T +91 98 7280 0488

E ajay@lightforms.com

**Light Forms** Architectural Lighting www.lightforms.com

Registered in England No. 6750892 Registered Address Unit 7C Boeing Way International Trading Centre Middlesex, Ub2 5Lb