SPEC SHEET MOONSHADE Acoustic Lighting




Features

LIGHT FORMS


- Highly effective noise absorption
- 3 sizes and a wide range of colors
- High performance direct distribution
- UGR<19
- Height adjustable 3m suspensions and clear teflon cable
- Can be mounted flush to ceiling



DIMENSIONS



DISTRIBUTIONS



MATERIAL SPECIFICATIONS

MATERIAL	100% Recyclable PET fiber
DENSITY	1900g/m²
FIRE TEST	GB8624 B1
SOUND ABSORPTION	Noise reduction coefficient (NRC) >0.8
TESTING PROCEDURE	AS ISO 354 - 2006 / AS ISO 11654 - 1997

ORDERING INFO

MOONSHADE - SMALL MODEL: MS-S



LIGHT DISTRIBUTION	Direct
DELIVERED LUMENS	2414lm@3000K / 2557lm@4000K
EFFICACY	Up to 91lm/W
ССТ	3000K / 3500K / 4000K / RGBW
CRI	> 90
POWER	28W
DIMMING	Non-dim / 0/1-10V / DALI
INPUT	220-240V AC
CABLE	Length 3 m, clear teflon cable
SIZE	φ560x300mm
FINISH	See color codes as shown
WEIGHT(NET)	6.5KG

MOONSHADE - MEDIUM MODEL: MS-M



LIGHT DISTRIBUTION	Direct
DELIVERED LUMENS	4022lm@3000K / 4261lm@4000K
EFFICACY	Up to 90Im/W
ССТ	3000K / 3500K / 4000K / RGBW
CRI	> 90
POWER	47W
DIMMING	Non-dim / 0/1-10V / DALI
INPUT	220-240V AC
CABLE	Length 3 m, clear teflon cable
SIZE	φ710x325mm
FINISH	See color codes as shown
WEIGHT(NET)	10KG

MOONSHADE - LARGE MODEL: MS-L



LIGHT DISTRIBUTION	Direct
DELIVERED LUMENS	8787lm@3000K / 9307lm@4000K
EFFICACY	Up to 92Im/W
ССТ	3000K / 3500K / 4000K / RGBW
CRI	> 90
POWER	100W
DIMMING	Non-dim / 0/1-10V / DALI
INPUT	220-240V AC
CABLE	Length 3 m, clear teflon cable
SIZE	φ1035x380mm
FINISH	See color codes as shown
WEIGHT(NET)	18.5KG

COLOR CODE



Off White (OW)



Light Grey (LG)

Brown (BR)





Yellow (Y)





Forest Green (FG)

Red (R)



Dirty Pink (DP)



Cyan (C)





More information and data, please visit: www.lightforms.com.cn

V1.0_2023-08